



Before

EYELINER COSMETIC

TATTOO

Eyeliner Cosmetic Tattoo Before care Instructions

To ensure optimal results for your eyeliner cosmetic tattoo, it's important to properly prepare before your appointment. Please follow these guidelines:

General Preparation (1-2 Weeks Before Appointment)

1. Avoid Certain Skin Treatments:

- Do not use Retin-A, retinols, or other exfoliating products around your eyes for at least 4 weeks before the treatment.
- Avoid chemical peels, facials, or laser treatments near the eye area for at least 2 weeks prior.

2. No Eyelash Enhancing Products:

- Discontinue use of eyelash growth serums (like Latisse) at least 4 weeks before your appointment as these can cause skin sensitivity.
-

Medications and Supplements



1. Blood Thinners:

- Avoid taking aspirin, ibuprofen, or other blood-thinning medications for at least 7 days before your appointment, as these can increase the risk of bleeding. If you are prescribed blood thinners, please consult your doctor before stopping.





1. Avoid Alcohol and Caffeine:

- Refrain from drinking alcohol or consuming caffeine for at least 48 hours before the appointment as they may increase sensitivity and bleeding.



Activities to Avoid (Day 1-14)

- 1.No Swimming or Saunas: Avoid swimming pools, saunas, steam rooms, or hot tubs.
- 2.No Excessive Sweating: Refrain from activities that cause excessive sweating, as this may interfere with the healing process.
- 3.No Direct Sun Exposure: Protect the area from direct sunlight. Use sunglasses if going outdoors. 
- 4.Avoid Facial Treatments: Do not get facials, chemical peels, or any other skin treatments on or near the eyes for at least 2 weeks.



Long-term Care

- **Avoid Skincare Products on Eyes:** Avoid using products containing Retin-A, alpha hydroxy acids, or exfoliating ingredients directly on the eyeliner.
- **Use Sunscreen:** Once fully healed, protect the tattooed area from sun exposure using sunglasses or SPF to prevent fading.
- **Touch-Ups:** A touch-up session may be needed 4-8 weeks after the initial treatment to perfect the results.



Signs of Complications

If you experience any signs of infection, such as increased redness, swelling, warmth, or pus, or if you feel extreme discomfort, contact your technician or a medical professional promptly.
